

KS-88N2HC

TWO COLD AND TWO HOT TOE MOULDING MACHINE



Technical specification:

Model	KS-88N2HC
Dimension	L67xW90xH150cm
Weight	370kg
Voltage	220V
Power	2.7kw
Capacity	1200pairs/8h
Air Pressure	6bar

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-107

CLEANER FREQUENCY CONVERSION AND TIMING POLISHING MACHINE



Technical specification:

Model	KS-107
Dimension	L66xW101xH120cm
Weight	85kg
Voltage	380V
Power	2.0KW
Capacity	1600pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-112

MIGHTINESS ROUGHING MACHINE WITH DUST EXHAUST(DOUBLE SHAFTS)



Feature:

Model no.	KS-112
Voltage	380V
Power	1.9kw
Dimension	63x100x145cm
Weight	150Kg
Capacity	1500pairs/8H

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192,Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-133


HYDRAULIC DE-LASTING MACHINE

SPECIFICATIONS:

- Equipped with necessary mechanisms & adjustments in order to get used to all types of leather shoes & other materials as well as to all sizes.
- Adjustable low pressure of slipping, protecting the last & pins.
- Easy to delasting of plastic last from lasted upper.
- Adjustment for very sensitive, heavy & difficult shoes.
- Fully automatic pad height adjustment.
- High productivity is obtained without damaging the shoes.
- Suitable for delasting for all types of lasts from shoe.

TECHNICAL:

Dimension (LxWxH)	840 x 450 x 1360 mm
N.W.	220 kg
Power	0.1 kw
Voltage	380V/50Hz
Working Height	120 cm
Leg Height	300 mm
Pneumatic Supply	0.6 MPa
Capacity	2000 pairs/8hrs



EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-163S VAMP CRIMPING MACHINE-SHORT PLATE

KS-163L VAMP CRIMPING MACHINE-LONG PLATE



Description:

- The machine is mainly used to bend and mould vamp in the production of boots.
- Adopting hydraulic and pneumatic driving, it utilizes heat and pressure to bend and mould vamp into curved shape required.
- The pressure, heating temperature and pressing time can be adjusted according to the thickness and type of leather so as to obtain the optimal shaping result.
- The left and right side pressing plates and their heating temperature can be regulated individually to adapt to specific leather nature.
- The external pressing plate is convenient in regulation of travel upon requirement.

Technical specification:

MODEL	VOLTAGE	POWER	PRODUCTION	N.W	AIRCONS	DIMENSION(LxWxH)
KS-163S	380V/50Hz	3.5kw	1200pairs/8h	350Kg	0.6Mpa	750x750x1550mm
KS-163L	380V/50Hz	3.8kw	1200pairs/8h	380Kg	0.6Mpa	900x750x1550mm

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-188E

SPIRAL TYPE HEATING SETTER MACHINE



Technical specification:

Model	KS-188E
Dimension	L1400xW1400xH1800mm
Weight	450kg
Voltage	380V
Power	12KW
Capacity	1200pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-236

TOE UPPER CONDITIONING MACHINE



Technical specification:

Model	KS-236
Dimension	L77xW102xH200cm
Weight	280kg
Voltage	380V
Power	4.5KW
Capacity	1500pairs/8h

EQUIPMENT . SOLUTION . SERVICE


YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-238

TOE UPPER STEAMING MACHINE



Technical specification.

Model	KS-238
Dimension	L56xW72xH137cm
Weight	120kg
Voltage	380V
Power	10KW
Capacity	1500pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-241

Top Line and Seam Hammering Machine



FEATURES:

- It has functions of hammering and electric heating ironing.
- It is used to level uneven seams of heel and thick hem so as to make top line, hem and joints become smooth and neat.
- High working efficiency, good performance low noise and high speed.

SPECIFICATIONS:

Dimension (LxWxH)	550 x 420 x 1450 mm
Net Weight	80 kg
Power	0.25 kw
Production	1000 pairs/ 8 hrs

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-252

DRYNESS ACTIVATION MACHINE



Features:

The machine has been designed for cement drying and activating before sole attaching. After strong hot air blowing, the adhesive is then activated by infrared lamp. The transportation speed, the air temperature and the heat emit from the infrared lamps can be adjusted easily.

Specifications:

Model	KS-252
Dimensions	L340*W110*H150cm
Weight	550kg
Voltage	380V
Power	26kw
Capacity	1500pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KINGSUN

SHOES & LEATHER GOODS MACHINES

KS-261

UV ULTRAVIOLET LIGHTING MACHINE



FEATURES:

- Low temperature, can use in things of change shape easily.
- High quality, high production capacity, reduce costs.
- Save place, save energy, can't pollute.
- Light upon in a short time.

SPECIFICATIONS:

Dimension (WxDxH)	2400 x 1020 x 2000 mm
Conveyorized Speed	3~12 m/min
Conveyor Width	600 mm
Light Upon Width	400 mm
UV Lampshade	Adjustable
UV Length	1200 mm
Power	220/380 V, 50/60 Hz
Material in/out Length	600 mm

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-266A

UPPER FORMING MACHINE



Technical specification:

Model	KS-266A
Dimension	L88xW50xH185cm
Weight	150kg
Voltage	220V
Power	1kw
Capacity	1200pairs/8h
Air pressure	6bar

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-268B

AUTOMATIC HEEL-SEAT FLATTENING MACHINE



Technical specification:

Model	KS-268B
Dimension	L70xW90xH160cm
Weight	400kg
Voltage	380V
Power	0.37KW
Capacity	2000pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-288

HIGH EFFICIENCY SPIRAL TYPE CHILLER MACHINE



Technical specification:

Model	KS-288
Dimension	L1400xW1400xH1800mm
Weight	450kg
Voltage	380V
Power	8KW
Capacity	1200pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-335

UPPER STEAMING MACHINE



Technical specification:

Model	KS-335
Dimension	L77xW102xH200cm
Weight	280kg
Voltage	380V
Power	4.5KW
Capacity	1500pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-355

INSOCK PRESSING MACHINE



Specification:

The type of this machine is atmospheric pressure model which aims at high class shoes. It applies to a broader scope and makes the shoe pad more solid and more adhesive.

Technical:

MODEL	VOLTAGE	POWER	WEIGHT	CAPACITY	DIMENSION(LxWxH)
KS-355	220V	0.1KW	100KG	2000Pair/8hr	60x53x120cm

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-366

BOOT IRONING MACHINE



Technical specification:

Model	KS-366
Dimension	L77xW102xH200cm
Weight	280kg
Voltage	380V
Power	4.5kw
Capacity	1500pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-386

FORE PART CONDITIONING MACHINE



Technical specification:

Model	KS-386
Dimension	L48xW69xH163cm
Weight	80kg
Voltage	380V
Power	3KW
Capacity	1200pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-389

UPPER STEAM HEATER MACHINE



Technical specification:

Model	KS-389
Dimension	L102xW68xH130cm
Weight	130kg
Voltage	380V
Power	9KW
Capacity	1500pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-389A

UPPER STEAM HEATER MACHINE



Technical specification:

Model	KS-389A
Dimension	L65xW75xH159cm
Weight	130kg
Voltage	380V
Power	9KW
Capacity	1800pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-420 SPLITTING MACHINE



Technical specification:

Model	KS-420
Dimension	L160xW130xH110cm
Weight	635kg
Voltage	380V
Power	2.7KW
Working width	420mm
Dimension with cutter	0.7/50/3500

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-486

AUTOMATIC ROTATION IRONING AND HAMMERING MACHINE



Technical specification:

Model	KS-486
Dimension	L90xW127xH180cm
Weight	242kg
Voltage	380V
Power	5kw
Capacity	1200pairs/8h

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com


KINGSUN

SHOES & LEATHER GOODS MACHINES

KS-600BC

NEEDLE DETECTOR(200x600mm)

NEEDLE DETECTOR(300x600mm)



FEATURES:

- Clothing, shoes and hats, zippers and other clothing handbag accessories, socks, fabrics, non-woven towels carpets, gloves, toys, handicrafts and so on.
- Inlet and outlet host-computer board, Swiss Haboxi conveying belt, Taiwan Keke brand photo-electricity.
- Programmable controller of circuit board, functions are obvious.
- Intelligent counting function.
- Electricity frequency displays outside magnetic field interference and iron content proportion.
- Electricity frequency displays sensitivity adjustment.
- Automatic tape-rewinding function.
- The luminotron of probe indicates probable location of the bren needle.
- Three acoustic-optcal frequency displays alarm for detec broken needles an on thns, conveying belt stopping or rewinding.

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-600E FUSING MACHINE WITH CHILLER



FUSING



CHILLER

Technical:

POWER SUPPLY	220V, 380V
MOTOR POWER	180W
POWER	13.5KW
PRESSURE SYSTEM	PNEUMATIC
HIGHEST TEMP.	200°C
WIDTH	600M
TIME	60-300
COOLING POWER	3KW
ICE MACHINE	3P
SIZE	2620x1200x1360

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-686N2HC

TWO HOT AND TWO COLD COUNTER MOULDING MACHINE



Description:

- ◆ 686N2HC has small dimensions with more linear and rational surfaces and a new powerful Hardware–software that gives operator the possibility to control all machine functions by a single terminal. The operator can introduce any kind of set values of machine cycle, hot and cold mould temperature and also receive warning in case of malfunctions.
- ◆ Complete adjustment for outer and inner moulds, flanging wipers and pincer give the possibility to work from baby size to men size including skee boots.
- ◆ Optical projector or pneumatic positioning upper device for models with wipers.
- ◆ The operating cycle the column move up to the rubber cushion, then rubber cushion get close and make wiper movement.

Technical:

Model	KS-686N2HC
Dimension	L85*W156*H200cm
Weight	571kg
Voltage	220V
Power	2.7kw
Capacity	1100pairs/8h
Air pressure	6bar

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-788B

UPPER LINING LAMINATING MACHINE



Technical specification:

Model	KS-788B
Dimension	L86xW153xH107cm
Weight	130kg
Voltage	220V
Power	2.2kw
Capacity	3000pairs/8h
Air pressure	6bar

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-801 LATEX GLUING/CEMENTING MACHINE



Description:

Suitable for all kinds of leather goods, bags, belts, shoes, cloth, plastics, paper, cardboard, documents and other bonding operations.

The utility model has the advantages of small volume, no space occupation, speed regulating motor, self-adjusting speed of the glue application, simple and safe operation, and no skilled operator.

The amount of glue applied is adjusted to be even and moderate, ensuring the average adhesion and increasing the pulling force.

It saves the amount of glue and talent, improves production, reduces cost, and has excellent performance and durability.

Automatic gluing, non-stick material side, keep the product clean and beautiful.

This machine can be used for both machine and machine. In addition to the glue function, it can also be used as a shoe flat press.

MODEL	DIMENSION	WEIGHT	SPEED	VOLTAGE
KS-801	32x76x28cm	50Kg	1400	220V/380V

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KINGSUN

SHOES & LEATHER GOODS MACHINES

KS-803

TWO HOT AND ONE COLD STATION AUTOMATIC PRESSING MACHINE



Description:

- Suitable for bonding uppers by leather/mesh/etc, with seamless technology

Temperature:

Completely intelligent controlling simple but with stable temperature.

Pressure:

Stable air-oil mixing pressuring time & set by digits, simple & accurate.

Operation:

3-station (2 heating station & 1 cooling station) space saving more efficient, stainless steel work platform, easy to clean but more beautiful.

Safety:

Feeding material automatically, simple and safe: safety inspection for the inspection for the temperature of upper material, high power cooling system water feeding alarm.

Technology:

Stable temperature easy operation heating for bonding & cooling for solidifying shape.

Technical:

Voltage	AC380V/50HZ
Power	23KW
Air pressure	0.5MPA
Temperature Accuracy	$\pm 3^{\circ}\text{C}$
Plate Pressure	8Ton/12Ton/18Ton
Working Area	400x600mm
Net weight	1250Kg

EQUIPMENT . SOLUTION . SERVICE

China: YUSHIN AUTOMATION EQUIPMENT CO.,LTD, ADD: NO.10,Qiaoxiner Road, Houjie Twon, Dongguan, China,

Hong Kong: JOBO TECHNOLOGY LIMITED, ADD: Unit 1303, 13/F Beverly Hse 93-107, Lockhart Rd, Wanchal, Hongkong

India: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192,Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-901

COMPONENT GLUING MACHINewith ROLLER SIZE 12 INCH



Description:

Applicable to general leather goods, including heel skin, midsole, shoe machine, cardboard, sports equipment Or various soft materials.

It is small in size, does not occupy space, saves electricity and only needs 1/2 horsepower. It is easy to operate and does not need to be skilled.

The super-adhesive automatic circulation device and the sealed anti-extrusion rubber chamber are not known to emit or dry the super glue.
amount Of glue can be adjusted evenly and moderately to ensure the average adhesion and increase the tension.

It saves the amount Of glue and talent, improves production, reduces Cost, and has excellent performance and durability.
Automatic gluing, non-stick material side, keep the product clean and beautiful.

MODEL	VOLTAGE	SPEED	WEIGHT	DIMENSION(LxWxH)
KS-901	220/380V	1400	55KG	45x76x46cm

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

WATER BASE ADHESIVE SPRAYING MACHINE (with exhauster)

KS-909A



Product features

- This machine is applicable to the coating of aqueous glue (ammonia glue)
- The machine can spray the aqueous glue on vamp, liner or other parts evenly so that the binding result can be guaranteed to prevent the binding materials from separation and losing after binding.
- The machine can save a large quantity of glue and free from waste, therefore it is economical and practical.

Technical specification:

Dimension (LxWxH)	750 x 1230 x 1800 mm
Voltage	220 V
Power	200 w
Air Pressure	4-6 Mpa

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KINGSUN

SHOES & LEATHER GOODS MACHINES

KS-910

Water Spray Machine



EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOJJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-950

Pneumatic Sole Marking



SPECIFICATIONS:

1. The scriker is adopted of auto balancing pressing lever design not to adjust high and low, time & labour saving.
2. The action which is the bottom cell auto filling air for shoe is pressed and the shoes pattern happens promptly.
3. Free of EVA model pattern and the right & left shoe is not to divide separately.
4. According to the slope of shoe pattern, the bottom cell can be adjusted automatically equal of pressing force.
5. More accuracy for scribing which is good for grinding roughen, cementing & laminating etc., operating process.

TECHNICAL:

Size	48 x 57 x 150 cm
Power	220V
Weight	66kg

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK


China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KS-3000BASIC(7+1)

AUTOMATIC HYDRAULIC HEEL-NAILING MACHINE



Technical specification:

Model	KS-3000BASIC(7+1)
Dimension	L86xW106xH209cm
Weight	420kg
Voltage	380V
Power	2kw
Capacity	1800pairs/8h
Air Pressure	6bar

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-4207

VOLUNTE TYPE CONVEYOR WITH ADJUSTABLE TROLLEY(30M)
(without lighting & electrical sockets)



Description:

1. Fit for any shoe style.
2. Save cost, save space.
3. Reduce waiting time among different processes.
4. Reasonal tray designing, reverse without block.
5. Drive by self-balance adjusting, Avoid block.
6. Output can reach to be 1200pairs/8h.

MODEL	VOLTAGE	POWER	CAPACITY	DIMENSION(LxWxH)
KS-4207	380V	4kw(1.5m)	1200pairs/8h	400x210x250cm

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK

China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),

E-mail: sales@stargroupindia.com

KINGSUN

SHOES & LEATHER GOODS MACHINES

KS-4310D

NIR CONVEYOR(DOUBLE SIDE, DOUBLE LAYER)



EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192,Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-P2-S

ONE COLOR TWO HEADS PAD PRINTER WITH SHUTTLE



Description:

One Color Two Heads Pad Printer With Shuttle is one of the series pad printing machines developed by our company according to the market demand, mainly for insole, heel logo printing. The machine adopts advanced and reasonable straight-line and round-trip motion and vertical pad printing structure. It has the advantages of stable performance, easy operation, printing characters, no distortion of patterns, high printing speed, beautiful and clear handwriting, etc. , and the adjustment of the scraper and the die steel plate is very convenient.

Scope of application:

Suitable for insole logo, toys, glass, metal, all kinds of bottles, cans, cups, boxes on the packaging printing factory date, shelf life, batch number, bar code and simple pattern, can be printed in a variety of materials, on different surfaces.

MODEL	VOLTAGE	AIR PRESSURE	PLATE SIZE	DIA OF INKUP	CAPACITY
KS-P2-S	220V	5-7 kpa	100-150mm	60/90mm	1200 times/hr

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KINGSUN

SHOES & LEATHER GOODS MACHINES

KS-133H

AUTOMATIC AIR PRESSURE LAST INSERTING MACHINE



EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com

KS-JAXJ-03

HYDRAULIC EMBOSSEING MACHINE



Features:

1. With quick supercharging oil-path design, providing quick speed and large pressure etc.
2. Hand-pulled sliding working platform and hand-guar device, with high safety.
3. Simultaneous heating of upper and lower plates, with good parallel function,

Machine parameter:

MODEL	WORKING PRESSURE	MOTOR	WORKING AREA	ELECTROTHERMAL TREATMENT	DIMENSION	WEIGHT
KS-JAXJ-03-20	20Tons	2HP	300x350mm	0-150°C		400kg
KS-JAXJ-03-30	30Tons	2HP	300x350mm	0-150°C	900x850x1400mm	500kg
KS-JAXJ-03-40	40Tons	2HP	335x350mm	0-150°C	900x850x1400mm	550kg
KS-JAXJ-03-50	50Tons	3HP	335x350mm	0-150°C	900x850x1400mm	580kg

EQUIPMENT . SOLUTION . SERVICE

Machine parameter:

MODEL	WORKING PRESSURE	MOTOR	WORKING AREA	ELECTROTHERMAL TREATMENT	DIMENSION	WEIGHT
KS-JAXJ-03-80	80Tons	3HP	380x380mm	0-150°C	980x930x1500mm 990x940x1440mm	680kg 780kg
KS-JAXJ-03-120	120Tons	4HP	450x450mm 500x600mm	0-150°C	1090x1010x1480mm 1280x940x1560mm	880kg 1350kg
KS-JAXJ-03-130	130Tons	4HP	450x450mm 500x600mm	0-150°C	1090x1010x1480mm 1280x940x1560mm	920kg 1400kg
KS-JAXJ-03-180	180Tons	4HP	500x600mm 600x750mm	0-150°C	1300x930x1580mm	1500kg 1800kg

EQUIPMENT . SOLUTION . SERVICE

YUSHIN AUTOTECHNOLOGY LIMITED

HONGKONG OFFICE: UNIT 1405B 14/F, THE BELGIAN BANK BUILDING, NOS. 721-725 NATHAN ROAD, MONGKOK, KOWLOON. HK
China office: ROOM101, QIAOXINERROAD, HOUJIE TOWN, DONGGUAN, CHINA

INDIA: STAR INTERNATIONAL PRIVATE LIMITED, ADD: 120/192, Lajpat Nagar (Opp. Mariampur School) Kanpur-208002(India),
E-mail: sales@stargroupindia.com